

## Application No. Applicant(s) 10/647,351 LEE, KWANG-KUK Notice of Allowability Examiner Art Unit 3732 Stephanie L. Willatt -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the preliminary amendment received 26 August 2003. 2. The allowed claim(s) is/are 1-15. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) ☐ Some\* c) ☒ None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: \_\_\_\_\_. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) Thereto or 2) to Paper No./Mail Date \_\_\_\_\_. (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_ Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_. 7. X Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_ 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other \_\_\_\_.

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- In line 3 of claim 1, "with wound" has been changed to --wound--.
- In line 7 of page 4 of the specification, "41" has been changed to --40--.
- 2. The following is an examiner's statement of reasons for allowance: the primary reason for the allowance of claims 1-15 is the inclusion of the limitations of a remover solution receptacle built in the remover body so that the outlet of the remover solution receptacle is directed to the opening of the remover body and a head engaged with the opening of the remover body to open and close the remover solution receptacle. For example, Carson, Jr. et al. (US 4,112,536) discloses: a remover body with an opening; a fabric wound within the remover body so that it is exposes through the opening; and a remover solution receptacle built in the remover body. However, Carson, Jr. et al. does not disclose that the remover solution receptacle is built in the remover body so that the outlet of the remover solution receptacle is directed to the opening of the remover body and does not disclose a head engaged with the opening of the remover body to open and close the remover solution receptacle.

Art Unit: 3732

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephanie L. Willatt whose telephone number is (571) 272-4721. The examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin P. Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

slw.

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700